

MORE THAN JUST A TELEPHONE.



M SERIES

A game-changer in desktop telephony and in-room connectivity.

The new multi-function **M Series** combines **multiple** features that are critical to hospitality success and guest satisfaction. Teledex merges contemporary elegance with smart technologies into one for an enhanced in-room telephone and media experience.

Hospitality Multi-Function Phone

Available in Analog and VoIP, 1-line and 2-line, Cordless and Corded.

Bluetooth

Pair smart devices to play music and place and receive mobile phone calls through M Series.

USB Charging

Two high-current USB charging ports support devices up to 2.1 Amp, including most tablets and smartphones.

Wi-Fi Access Point

Extend your property's Wi-Fi coverage using the integrated WAP (factory-installed option).

True Two-Line Capability

In a cordless setting, place simultaneous calls to two different parties over separate handsets.

Stereo Speaker System

High-fidelity stereo speakers ensure a quality listening experience for the guest.

AutoSync

Cordless handset automatically registers with base unit when in the cradle, avoiding failures with misplaced handsets.

Cordless Handset Features

Hands-free speaker key and programmable guest service keys.

OneTouch Voice Mail Retrieval

Automatically engages the phone's speaker and auto-dials voice mail which enables guests to check messages hands-free.

M SERIES VolP

VoIP Cordless

- Single or two-line speakerphones
- Five (5) and ten (10) configurable guest service keys
- Cordless handset frequencies: 1.9 GHz, 1.8 GHz, or 2.4 GHz
- · Bluetooth handset pairing
- Stereo Bluetooth for music streaming
- Side USB power ports for device charging (2.1 Amp)
- Optional built-in Wi-Fi access point (Factory-installed)
- Three-way conferencing*
- Patented OneTouch voice mail retrieval
- HAC/VCH (ADA) compliant handset volume boost
- LED message-waiting light
- Supports up to five handsets (one on base, four remotes)
- AutoSync cordless handset pairing
- VoIP-based protocol; SIP 2.0 RFC 3261 compliant
- Codecs supported: G711a; G711µ; G729; G722; iLBC
- Link Layer Discovery Protocol (LLDP)
- 802.1x Port-Based Network Access Control (PNAC)
- Supports 802.1p/q for Quality of Service/VLAN tagging
- Supports DHCP or static IP address
- Wired Ethernet LAN and WAN data ports (RJ45)
- Two 10/100Mb switched Ethernet ports (1 WAN PoE and 1 LAN) for wired guest connectivity/HSIA
- Available in black (with custom faceplate options)
- Custom color faceplate options (MOQ required)

VoIP Corded

- Single or two-line speakerphones
- Five (5) and ten (10) configurable guest service keys
- Patented OneTouch voice mail retrieval
- Bluetooth handset pairing
- Stereo Bluetooth for music streaming
- Two USB ports
- Two 10/100Mb switched Ethernet ports (1 WAN PoE and 1 LAN) for wired guest connectivity/HSIA
- Optional built-in Wi-Fi access point (Factory-installed)
- HAC/VCH (ADA) compliant handset volume boost
- LED message-waiting light
- Three-way conferencing*
- VoIP-based protocol; SIP 2.0 RFC 3261 compliant
- Codecs supported: G711a; G711µ; G729; G722; iLBC
- Link Layer Discovery Protocol (LLDP)
- 802.1x Port-Based Network Access Control (PNAC)
- Supports 802.1p/q for Quality of Service/VLAN tagging
- Supports DHCP or static IP address
- Wired Ethernet LAN and WAN data ports (RJ45)
- Available in black (with custom faceplate options)
- Custom color faceplate options (MOQ required)

VoIP RediDock Cordless

- Single or two-line phones
- Patented OneTouch voice mail retrieval
- HAC/VCH (ADA) compliant handset volume boost
- LED message-waiting light
- AutoSync cordless handset pairing
- Available in black (with custom faceplate options)
- Custom color faceplate options (MOQ required)







M203IP-R RediDock

M200IP-T Trimline

VoIP Trimline Corded

- Single or two-line phones
- HAC/VCH (ADA) compliant handset volume boost
- LED message-waiting light
- Available in black (with custom faceplate options)
- Custom color faceplate options (MOQ required)

^{*}Two-line only

M SERIES ANALOG

Analog Cordless

- Single or two-line speakerphones
- Five (5) and ten (10) configurable guest service keys
- Patented OneTouch voice mail retrieval
- Cordless handset frequencies: 1.9 GHz, 1.8 GHz, or 2.4 GHz
- · Bluetooth handset pairing
- · Stereo Bluetooth for music streaming
- Two USB ports
- Two 10/100Mb switched Ethernet ports (WAN/LAN) for wired guest connectivity/HSIA
- Optional built-in Wi-Fi access point (Factory-installed)
- Electronic three-way conferencing*
- HAC/VCH (ADA) compliant handset volume boost
- Dual neon/LED message-waiting light
- Supports up to five handsets (one on base, four remotes)
- AutoSync cordless handset pairing
- Available in black (with custom faceplate options)
- Custom color faceplate options (MOQ required)

Analog Corded

- Single or two-line speakerphones
- Five (5) and ten (10) configurable guest service keys
- Patented OneTouch voice mail retrieval
- · Bluetooth handset pairing
- Stereo Bluetooth for music streaming
- Side USB power ports for device charging (2.1 Amp)
- Optional built-in Wi-Fi access point (Factory-installed)
- HAC/VCH (ADA) compliant handset volume boost
- Dual neon/LED message-waiting light
- Electronic three-way conferencing*
- Two 10/100Mb switched Ethernet ports (WAN/LAN) for wired guest connectivity/HSIA
- Available in black (with custom faceplate options)
- Custom color faceplate options (MOQ required)

Analog RediDock Cordless

- Single or two-line phones
- · Patented OneTouch voice mail retrieval
- HAC/VCH (ADA) compliant handset volume boost
- Dual neon/LED message-waiting light
- AutoSync cordless handset pairing
- Available in black (with custom faceplate options)
- Custom color faceplate options (MOQ required)

Analog Trimline Corded

- Single or two-line phones
- HAC/VCH (ADA) compliant handset volume boost
- Dual neon/LED message-waiting light
- Available in black (with custom faceplate options)
- Custom color faceplate options (MOQ required)







M203R RediDock

M200T Trimline

^{*}Two-line only

U.S. Toll Free 1 800 462 9446 Telephone +1 719 638 8821 Fax +1 719 638 8815

info@teledex.com teledex.com

© 2013 Cetis, Inc. Product specifications and descriptions in this document subject to change without notice. Cetis™, Teledex®, TeleMatrix®, Scitec®, ExpressNet® and Teledex iPhone™ are trademarks or registered trademarks of Cetis, Inc. TDX-M-DS-102013

